

Seicane S128405 2008-2013 VW Volkswagen Scirocco aftermarket car radio upgrade installation replacement instruction

Seicane S128405 2008-2013 VW Volkswagen Scirocco head unit after installation



Please note:

This unit can be suitable for the following cars which are also with the same installation steps as follows.

2008-2013 VW Volkswagen Scirocco

2004-2011 VW Volkswagen Sagita

2005-2011 Seat Leon

2003-2013 VW Volkswagen Golf 5(MK5)

2010-2013 VW Volkswagen POLO

2008-2013 VW Volkswagen Passat CC

2006-2011 VW Volkswagen Cupra

2003-2013 VW Volkswagen Caddy

2004-2011 VW Volkswagen PASSAT(MS127/MK6)

2006-2012 VW Volkswagen MAGOTAN

2011-2012 VW Volkswagen LAVIDA

2007-2011 VW Volkswagen Tiguan

2004-2013 Seat Toledo

2010-2011 Seat Alhambra

2008-2013 VW Volkswagen Golf 6(MK6)

2009-2011 VW Volkswagen Passat B6

2005-2013 VW Volkswagen Jetta

2010-2013 VW Volkswagen Sharan

2003-2013 VW Volkswagen Touran

2005-2011 VW Volkswagen TRANSPORTER(T5)

2009-2013 Skoda YETI

2003-2010 Skoda ROOMSTER

2003-2009 VW Volkswagen Golf Plus
2009-2013 VW Volkswagen BORA
2005-2013 VW Volkswagen SAGITR
2006-2013 Skoda Praktik
2010-2013 Skoda SUPERB
2009-2013 VW Volkswagen Polo V 6R
2011-2013 VW Volkswagen New Beetle 2

2004-2013 Seat Altea
2012-2013 Skoda RAPID
2004-2013 Skoda FABIA
2005-2012 VW Volkswagen PASSAT
2006-2013 VW Volkswagen EOS
2010-2013 VW Volkswagen Multivan


Some tips before the installation:

1. Please disconnect the power before the installation.
2. Please prepare a lever and a screwdriver before the removal and the installation.
3. Please keep all the separate parts from the car. Please take great care of the dashboard to avoid scratching it during its detachment and installation. Please keep handy any parts from the car and make use of all the original screws from the car as much as possible. so each related part of the unit can be fixed securely.
4. For your convenience, here's the recommended tools for removal and installation from Seicane, please check for more details: <http://www.seicane.com/car-dvd-dismantling-device-srd-400>

2008-2013 VW Volkswagen Scirocco head unit installation guide

Step1: Remove the trim panel.

Please pry around the trim panel with a lever. While prying, please loosen the trim panel with your hand. When the trim panel is loosened, please remove the trim panel off the dashboard and gently place it aside for further removal.



Step2: Remove the four screws on the radio.

Please unscrew the four screws which are holding the radio at four corners with a screwdriver. Then keep them well in a small box for the installation of a new head unit.



Step3: Take the factory radio out of the dash.

After the four screws are unscrewed, you can easily pull the factory radio out of the dash.



Step4: Disconnect the wiring harness.

Before you put the factory radio aside, please disconnect the wiring harness at the back of it.



Step 5: Check all the accessories for the new Seicane unit.



Step 6: Connect the harnesses to the back of the new Seicane unit.



Step 7: Connect the Seicane unit to your original car radio 's plugs.

Step 8: Turn on the new Seicane unit to have a careful check if everything works well. If it doesn't, please check whether all the cables are connected correctly.

Step 9: Put the new Seicane unit into the dash and install four screws.

Step 10: Install the trim panel into its original place.

Please note:

We suggest you arrange a professional to install it. If you have any questions about installation, please send us photos about your original car's plugs, we can make a wiring diagram for your car.